



Tel: 1 (242) 377-0142, Fax: (242) 377-0272
24 hour: 1 (242) 376-1617, (242) 376-8334
Domestic Terminal
Unit A1.120
Lynden Pindling International Airport
P. O. Box CB11702
Nassau, N. P., Bahamas
Email: baaid@bahamas.gov.bs
Website: <https://www.baaid.org>

22nd October 2024

Mr. Alexander Ferguson
Director General
Civil Aviation Authority Bahamas
Airport Industrial Park
New Providence, Bahamas

Dear DG Ferguson:

RE: Safety Recommendation SR2024-01 (Aborted Takeoff N900DU – DAL1965)

The Aircraft Accident Investigation Authority (AAIA) is an independent government agency charged by the Minister for Energy and Transport with investigating every civil aviation accident and incident in the Bahamas. We determine the probable cause of the accidents and issue safety recommendations aimed at preventing future accidents.

On 24th June, 2024 the AAIA adopted its safety recommendation report reference Occurrence Report OCC-2024/0011 which occurred on 8th February, 2024 involving aircraft N900DU. The details of the related occurrence report and the resulting safety recommendations were sent to your attention on 24th June, 2024.

The AAIA received your response dated 9th August, 2024 and evaluated your response as well as the subsequent actions taken by the Bahamas Air Navigation Services Authority (BANSAs) and have classified the safety recommendations compliance status as follows.

SR2024-01 Closed - Acceptable Actionⁱ

Attached to this letter is a complete tracking of all recommendations issued and your organizations responses. As required by the AAIA Legislation, all safety recommendations and their responses must be made available to the public and can be found on our website at <https://www.baaid.org/safety-recommendation-database>.

Thank you for your cooperation.

Regards,

A handwritten signature in black ink, appearing to be 'A. Ferguson', is written over a horizontal line.

Aircraft Accident Investigation Authority

Kendall Dorsett Jr.
Chief Investigator of Air Accidents

ⁱ Closed – Acceptable Action – Response by recipient indicates action on the safety recommendation has been completed. The action complies with the safety recommendation.